

Percap table 1--U.S. per capita use of selected, commercially produced, fresh, and processing vegetables and melons, 1971-2005

Crop	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987
Pounds per person per year, farm-weight																	
Asparagus, all	1.3	1.2	1.2	1.1	1.2	1.2	1.0	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.9	1.0	1.0
Fresh	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.6	0.6	0.6
Canning	0.6	0.6	0.6	0.5	0.6	0.5	0.5	0.4	0.3	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3
Freezing	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Snap beans, all	7.5	7.5	8.0	7.8	7.0	7.8	7.5	7.5	7.4	7.3	7.6	7.0	6.8	6.8	7.0	6.7	6.7
Fresh	1.5	1.5	1.4	1.4	1.4	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.2	1.3	1.3	1.3	1.2
Canning	4.6	4.6	4.9	4.9	4.4	4.9	4.8	4.8	4.7	4.6	4.6	4.2	4.1	3.7	3.8	3.9	3.8
Freezing	1.4	1.4	1.7	1.5	1.2	1.5	1.4	1.4	1.4	1.4	1.7	1.5	1.5	1.8	1.9	1.5	1.7
Broccoli, all 1/	1.6	1.7	1.8	1.9	2.0	2.2	2.4	2.4	2.6	2.8	3.2	3.5	3.5	4.3	4.5	4.7	5.3
Fresh	0.7	0.7	0.8	0.8	1.0	1.1	1.2	1.0	1.2	1.4	1.7	2.0	2.0	2.5	2.6	3.0	3.1
Freezing	0.9	1.0	1.0	1.1	1.0	1.1	1.2	1.4	1.4	1.4	1.5	1.5	1.5	1.8	1.9	1.7	2.2
Cabbage, all	11.3	10.6	11.0	11.1	11.0	10.6	10.5	10.6	10.2	10.0	10.2	10.3	10.3	10.3	10.3	10.2	10.7
Fresh	8.8	8.4	8.9	8.8	8.9	8.4	8.3	8.5	8.1	8.0	8.2	8.6	8.2	8.6	8.7	8.6	9.1
Canning (kraut)	2.5	2.2	2.1	2.3	2.1	2.2	2.2	2.1	2.1	2.0	2.0	1.7	2.1	1.7	1.6	1.6	1.6
Carrots, all 2/	9.4	10.4	10.6	10.7	9.9	10.0	9.0	8.7	9.6	9.6	9.5	9.4	9.4	10.6	9.6	9.3	11.3
Fresh	6.1	6.5	6.7	6.9	6.4	6.4	5.3	5.3	5.9	6.2	6.1	6.6	6.5	6.7	6.5	6.5	8.3
Canning	2.0	2.4	2.3	2.0	1.9	1.9	1.9	1.6	1.8	1.7	1.5	1.1	1.1	1.8	1.3	1.0	0.9
Freezing	1.3	1.5	1.6	1.8	1.6	1.7	1.8	1.8	1.9	1.7	1.9	1.7	1.8	2.1	1.8	2.1	
Cauliflower, all 1/	1.3	1.3	1.4	1.5	1.5	1.6	1.8	1.6	1.8	1.9	2.3	2.2	2.2	2.7	2.7	3.1	3.0
Fresh	0.7	0.8	0.8	0.8	0.9	1.0	1.1	0.8	1.1	1.1	1.4	1.3	1.4	1.8	1.8	2.2	2.1
Freezing	0.6	0.5	0.6	0.7	0.6	0.6	0.7	0.8	0.7	0.8	0.9	0.9	0.8	0.9	0.9	0.9	0.9
Celery	7.3	7.1	7.6	7.4	6.9	7.4	7.0	7.1	7.1	7.4	7.3	7.4	7.0	7.1	6.9	6.5	6.6
Sweet corn, all 3/	27.8	28.2	28.4	27.1	26.1	27.0	29.1	26.3	26.0	25.9	24.6	23.4	24.3	24.6	26.2	25.8	24.7
Fresh	7.5	7.8	7.9	7.7	7.8	8.0	7.6	6.6	6.5	6.5	6.2	6.0	6.1	6.4	6.4	6.1	6.3
Canning	14.8	15.0	14.5	13.5	12.0	13.1	14.1	13.4	12.7	13.0	12.1	11.6	11.6	10.2	11.9	12.1	10.6
Freezing	5.5	5.4	6.0	5.9	6.3	5.9	7.4	6.3	6.8	6.4	6.3	5.8	6.6	8.0	7.9	7.6	7.8
Cucumbers, all	8.3	8.4	8.4	8.7	8.9	9.2	9.3	9.8	9.6	9.3	9.3	9.3	9.7	9.9	10.2	9.9	10.6
Fresh	2.8	3.0	2.7	3.0	2.8	3.1	3.5	3.8	3.8	3.9	4.0	4.2	4.5	4.7	4.4	4.6	5.1
Pickling	5.5	5.4	5.7	5.7	6.1	6.1	5.8	6.0	5.8	5.4	5.3	5.1	5.2	5.8	5.3	5.5	5.5
Melons	20.7	20.3	19.9	17.6	17.7	18.9	19.5	20.1	19.1	17.9	19.3	22.0	19.6	23.9	24.1	24.6	24.3
Watermelon	13.0	12.3	12.7	11.3	11.4	12.6	12.6	11.9	11.4	10.7	11.7	12.5	11.3	14.4	13.5	12.8	13.0
Cantaloupe	6.8	7.0	6.1	5.3	5.2	5.3	5.8	6.6	6.1	5.8	6.1	7.7	6.5	7.7	8.5	9.4	9.1
Honeydew	0.9	1.0	1.1	1.0	1.1	1.0	1.1	1.6	1.6	1.4	1.5	1.8	1.8	2.1	2.4	2.2	
Lettuce, all	22.4	22.4	23.1	23.5	23.5	24.2	25.8	25.1	25.1	25.6	24.9	24.9	22.4	24.9	27.0	24.3	28.2
Head lettuce	22.4	22.4	23.1	23.5	23.5	24.2	25.8	25.1	25.1	25.6	24.9	24.9	22.4	24.9	23.7	21.9	25.7
Romaine & leaf	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.3	2.4	2.5
Onions, all	12.2	11.6	11.4	12.7	12.5	11.8	12.4	12.4	13.5	12.2	11.5	14.2	13.9	14.6	15.2	15.6	14.9
Fresh	10.7	10.7	10.2	11.2	10.5	11.0	11.1	11.1	11.6	11.4	10.7	12.2	12.2	13.1	13.6	13.7	13.4
Dehydrating	1.5	0.9	1.2	1.5	2.0	0.8	1.3	1.3	1.9	0.8	2.0	1.7	1.5	1.6	1.9	1.5	
Green peas, all 4/	5.3	5.1	5.3	4.9	4.7	4.8	4.8	4.7	4.5	4.5	4.4	4.2	4.2	4.0	4.2	4.1	3.7
Canning	3.2	3.1	3.4	2.9	2.8	2.9	3.0	2.9	2.6	2.7	2.7	2.5	2.4	2.0	2.1	2.2	2.0
Freezing	2.1	2.0	1.9	2.0	1.9	1.9	1.8	1.8	1.9	1.8	1.7	1.7	1.8	2.0	2.1	1.9	1.7
Peppers, all	2.3	2.4	2.5	2.7	2.5	2.7	2.8	2.8	2.9	2.9	6.1	6.1	6.6	7.2	7.7	8.2	8.4
Bell peppers, all	2.3	2.4	2.5	2.7	2.5	2.7	2.8	2.8	2.9	2.9	2.8	3.0	3.3	3.6	3.8	4.0	4.2
Chile peppers, all	--	--	--	--	--	--	--	--	--	--	3.0	3.3	3.1	3.3	3.6	3.9	4.2
Tomatoes, all	79.6	77.0	70.9	73.1	73.9	78.3	75.2	71.7	76.7	76.4	71.6	73.0	74.4	82.7	78.1	79.4	81.0
Fresh	11.3	12.1	12.5	11.8	12.0	12.6	12.4	12.9	12.4	12.8	12.3	12.9	13.5	14.2	14.9	15.8	
Canning	68.3	64.9	58.4	61.3	61.9	65.7	62.8	58.8	64.3	63.6	59.3	60.1	60.9	68.5	63.2	63.6	65.2
Other, fresh 5/	3.7	3.8	4.0	4.0	4.2	4.1	5.2	5.1	6.0	5.9	5.9	6.1	6.4	6.2	6.9	6.4	6.9
Other, canning 6/	3.0	3.0	2.9	2.6	2.9	2.8	2.7	2.7	2.4	2.6	2.3	1.8	1.6	1.6	1.4	1.5	1.2
Other, freezing 7/	3.2	3.2	3.3	2.9	2.8	2.9	2.7	2.7	2.7	2.6	2.7	2.5	2.4	2.4	2.5	2.7	2.5
Subtotal, all 8/	228.2	225.2	221.7	221.3	219.2	227.5	228.7	222.2	228.0	228.6	223.5	228.1	223.2	244.6	245.4	244.0	251.0
Fresh	106.9	107.9	109.4	108.0	106.9	110.7	112.4	111.8	112.4	112.6	112.4	118.9	114.7	125.4	129.4	128.2	135.2
Canning	104.5	101.2	94.8	95.7	94.7	100.1	97.8	92.7	96.7	99.0	93.5	91.5	92.6	98.6	95.3	95.7	95.3
Freezing	15.3	15.2	16.3	16.1	15.6	15.9	17.2	16.4	17.0	16.2	16.8	15.7	16.5	19.1	19.1	18.2	19.0
Potatoes, all	117.8	119.4	118.2	117.2	121.9	125.2	122.1	119.5	117.8	114.7	116.5	115.0	118.7	122.1	122.4	125.9	126.0
Fresh	56.1	57.9	52.4	49.4	52.6	49.4	50.1	46.0	49.3	51.1	45.8	47.1	49.8	48.3	46.3	48.8	47.9
Processing	61.7	61.5	65.8	67.8	69.3	75.8	72.0	73.5	68.5	63.6	70.7	67.9	68.9	73.8	76.1	77.1	78.1
Sweet potatoes	4.9	4.9	5.0	4.9	5.4	5.4	4.7	4.9	5.1	4.4	4.7	5.5	4.6	4.9	5.4	4.3	4.3
Mushrooms	1.4	1.6	1.7	1.8	1.9	2.1	2.5	2.7	2.8	2.7	2.9	3.4	3.6	3.6	3.8	3.6	
Dry peas & lentils	0.7	0.8	0.6	0.7	0.4	0.6	0.4	0.8	0.4	0.4	0.6	0.4	0.4	0.4	0.5	0.8	0.5
Dry edible beans	6.8	6.0	7.4	5.5	6.8	6.4	6.7	5.1	6.2	5.2	5.9	7.8	6.6	5.7	7.3	6.7	5.6
Total, all items	359.8	357.9	354.6	351.4	355.6	367.2	365.1	355.2	360.3	356.0	354.1	359.7	356.9	381.3	384.6	385.4	391.0

See footnotes at end of table.

Continued--

Percap table 1--U.S. per capita use of selected, commercially produced, fresh, and processing vegetables and melons, 1970-2006--continued *

Crop	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005f	2006f
Pounds per person per year, farm weight																			
Asparagus, all	1.0	1.0	1.0	1.0	1.0	1.0	0.9	1.0	0.9	1.0	1.0	1.2	1.3	1.2	1.2	1.3	1.4	1.5	1.5
Fresh	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.9	1.0	0.9	1.0	1.0	1.1	1.2	1.2
Canning	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Freezing	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Snap beans, all	6.7	7.1	6.7	6.9	7.1	7.2	7.2	6.8	7.2	6.7	7.4	7.6	7.9	7.8	7.2	7.5	7.6	7.6	7.6
Fresh	1.2	1.2	1.1	1.1	1.4	1.5	1.5	1.6	1.5	1.3	1.6	1.9	2.0	2.2	2.1	2.0	1.9	1.8	1.9
Canning	3.8	3.9	3.7	4.0	4.0	4.0	3.8	3.5	3.8	3.6	3.8	3.7	4.0	3.8	3.4	3.7	4.0	3.8	3.8
Freezing	1.7	2.0	1.9	1.8	1.7	1.7	1.9	1.7	1.9	1.8	2.0	2.0	1.8	1.9	1.8	1.9	1.8	1.9	1.9
Broccoli, all 1/	6.2	6.0	5.6	5.3	5.8	5.6	6.7	6.9	7.0	7.3	7.1	8.3	8.1	7.4	7.5	8.1	8.5	8.4	8.5
Fresh	3.8	3.8	3.4	3.0	3.4	3.3	4.4	4.3	4.5	5.0	5.0	6.2	5.9	5.4	5.4	5.5	5.9	5.6	5.7
Freezing	2.4	2.2	2.2	2.3	2.4	2.3	2.3	2.6	2.5	2.3	2.1	2.1	2.3	2.0	2.1	2.6	2.7	2.7	2.8
Cabbage, all	10.4	9.9	9.5	9.6	9.8	10.7	10.3	9.5	9.3	10.4	9.8	8.8	10.3	10.1	9.5	8.7	9.4	9.3	9.3
Fresh	9.0	8.6	8.3	8.2	8.7	9.3	9.1	8.1	8.3	9.0	8.4	7.6	8.9	8.8	8.3	7.6	8.3	8.1	8.1
Canning (kraut)	1.4	1.3	1.2	1.4	1.1	1.4	1.2	1.4	1.0	1.4	1.4	1.2	1.4	1.3	1.2	1.1	1.1	1.2	1.1
Carrots, all 2/	10.4	11.5	11.8	11.2	12.3	14.6	16.9	15.4	16.9	18.2	13.7	13.1	13.0	12.7	11.5	12.0	11.9	11.5	11.7
Fresh	7.1	8.1	8.3	7.7	8.3	10.8	12.7	11.2	12.4	14.1	9.5	9.3	9.2	9.4	8.4	8.8	8.7	8.6	8.6
Canning	1.0	0.9	1.2	1.1	1.7	1.0	1.4	1.6	1.7	1.5	1.4	1.4	1.1	1.9	1.2	1.6	1.8	1.5	1.6
Freezing	2.3	2.5	2.3	2.4	2.3	2.8	2.8	2.6	2.8	2.6	2.4	2.7	1.5	1.9	1.5	1.3	1.4	1.5	1.5
Cauliflower, all 1/	3.1	3.1	3.0	2.6	2.5	2.8	2.6	2.2	2.2	2.2	2.3	2.3	2.3	2.0	1.7	1.9	1.9	1.9	1.9
Fresh	2.2	2.3	2.2	2.0	1.8	2.1	2.0	1.6	1.7	1.8	1.5	1.8	1.7	1.5	1.4	1.6	1.6	1.5	1.5
Freezing	0.9	0.8	0.8	0.6	0.7	0.7	0.6	0.6	0.5	0.4	0.8	0.5	0.6	0.5	0.3	0.4	0.4	0.4	0.4
Celery	7.2	7.5	7.2	6.7	7.3	7.3	7.2	6.9	7.0	6.5	6.5	6.5	6.3	6.4	6.3	6.2	6.1	6.1	6.1
Sweet corn, all 3/	24.9	24.4	26.2	26.4	27.7	27.8	27.4	28.5	29.1	27.5	28.4	28.3	27.1	27.2	26.1	26.8	26.5	26.7	26.4
Fresh	5.8	6.5	6.7	5.9	6.9	7.0	8.2	7.8	8.3	8.3	9.3	9.1	9.0	9.2	9.0	9.5	9.2	8.9	9.0
Canning	10.4	9.5	10.9	11.1	11.9	11.1	10.1	10.4	10.4	9.1	9.2	9.1	9.0	8.7	7.8	8.3	8.2	9.0	8.5
Freezing	8.7	8.4	8.6	9.4	8.9	9.7	9.1	10.3	10.4	10.1	9.8	10.1	9.0	9.3	9.0	9.1	8.7	8.9	8.9
Cucumbers, all	10.1	10.0	9.7	9.7	9.4	9.5	10.2	10.6	10.0	11.6	10.5	10.9	11.2	10.0	11.9	10.5	11.3	10.3	10.9
Fresh	4.8	4.8	4.7	4.6	4.9	5.2	5.4	5.6	5.9	6.4	6.5	6.7	6.4	6.3	6.5	6.1	6.5	6.5	6.5
Pickling	5.3	5.2	5.0	5.1	4.5	4.3	4.8	5.0	4.1	5.2	4.0	4.2	4.9	3.7	5.4	4.4	4.9	3.8	4.4
Melons	23.8	26.5	24.6	23.2	25.3	24.5	25.4	26.1	28.9	28.2	27.3	29.0	27.2	28.1	27.3	26.5	25.2	25.9	26.1
Watermelon	13.5	13.6	13.3	12.7	14.7	14.2	15.0	15.2	16.6	15.5	14.3	15.2	13.8	15.0	14.0	13.5	13.0	13.8	13.7
Cantaloupe	7.9	10.4	9.2	8.6	8.5	8.6	8.4	9.0	10.3	10.5	10.6	11.4	11.1	11.2	11.1	10.8	10.0	10.1	10.3
Honeydew	2.4	2.5	2.1	1.9	2.1	1.7	2.0	1.9	2.0	2.2	2.3	2.5	2.3	2.0	2.2	2.2	2.2	2.0	2.1
Lettuce, all	30.2	32.3	31.5	30.0	30.5	29.4	30.7	28.1	27.4	30.5	28.9	32.5	31.8	31.0	32.1	33.3	32.6	32.1	33.3
Head lettuce	27.0	28.7	27.7	26.0	25.8	24.4	25.0	22.2	21.6	23.9	22.3	24.9	23.5	23.0	22.5	22.2	21.3	20.3	21.3
Romaine & leaf	3.2	3.6	3.8	4.0	4.7	5.0	5.7	5.9	5.8	6.6	6.6	7.6	8.4	8.0	9.6	11.1	11.4	11.7	12.0
Onions, all	16.2	16.4	17.1	17.3	17.5	19.2	17.8	19.1	19.1	19.7	19.5	20.8	20.4	19.5	20.4	21.3	23.1	22.2	21.5
Fresh	14.5	14.8	15.1	15.7	16.1	17.2	16.9	17.8	18.3	18.8	18.4	18.5	18.9	18.5	19.3	19.5	21.6	21.2	20.2
Dehydrating	1.7	1.6	2.0	1.6	1.4	2.0	0.9	1.3	0.8	0.9	1.1	2.3	1.6	1.0	1.1	1.8	1.5	1.0	1.3
Green peas, all 4/	3.7	3.7	4.1	4.2	4.1	3.5	3.5	3.7	3.4	3.5	3.3	3.4	3.7	3.3	2.8	3.2	2.9	2.7	2.8
Canning	1.8	1.7	1.9	1.9	2.1	1.6	1.4	1.6	1.5	1.5	1.4	1.4	1.5	1.4	1.1	1.3	1.2	1.0	1.2
Freezing	1.9	2.0	2.2	2.3	2.0	1.9	2.1	2.1	1.9	2.0	1.9	2.0	2.1	2.0	1.7	1.9	1.7	1.6	1.6
Peppers, all	8.8	9.4	9.6	9.8	11.7	11.3	10.7	9.9	11.7	10.9	11.1	11.4	12.1	12.1	12.6	12.5	13.1	12.6	13.1
Bell peppers, all	4.5	4.7	4.5	5.1	5.6	6.1	6.4	6.2	7.1	6.4	6.4	6.7	7.0	6.9	6.8	7.0	6.6	6.9	6.9
Chile peppers, all	4.3	4.7	5.1	4.7	6.1	5.2	4.3	3.7	4.6	4.5	4.7	5.2	5.2	5.8	5.6	6.1	6.0	6.2	6.2
Tomatoes, all	78.1	86.2	90.8	92.5	88.7	92.1	92.5	91.4	90.8	89.9	92.5	90.3	89.1	84.7	89.6	89.3	90.6	94.2	92.4
Fresh	16.8	16.8	15.5	15.4	15.4	16.3	16.2	16.8	17.4	17.3	18.5	19.1	19.0	19.2	20.3	19.5	20.1	20.6	20.7
Canning	61.3	69.4	75.3	77.1	73.3	75.8	76.3	74.6	73.4	72.6	74.0	71.2	70.1	65.5	69.3	69.8	70.5	73.6	71.7
Other, fresh 5/	7.0	7.5	7.8	8.1	8.3	8.4	8.9	8.4	8.8	9.2	10.0	10.5	17.7	16.6	17.2	17.7	18.7	19.3	19.5
Other, canning 6/	1.3	1.3	2.3	2.2	2.0	1.9	2.6	2.4	2.2	2.3	2.1	2.5	2.6	2.8	2.4	2.5	2.9	3.0	3.1
Other, freezing 7/	2.8	2.8	2.2	2.6	2.5	2.7	2.9	2.8	3.1	3.0	2.9	3.2	3.2	3.2	4.3	3.9	4.0	4.4	4.4
Subtotal, all 8/	251.9	266.6	270.7	269.3	273.5	279.5	284.4	279.7	285.0	288.6	284.2	290.5	295.3	286.2	291.7	293.1	297.8	299.1	300.0
Fresh	138.5	146.0	141.5	137.3	144.5	149.0	155.6	151.1	158.1	163.5	158.6	166.1	172.0	170.3	171.4	171.5	174.7	174.1	175.5
Canning	90.9	98.2	106.9	108.9	107.0	106.6	106.1	104.5	102.9	101.9	102.2	99.6	100.0	94.4	97.8	98.6	100.7	103.3	101.7
Freezing	20.8	20.8	20.3	21.5	20.6	21.9	21.8	22.8	23.2	22.3	22.3	22.5	21.8	20.4	21.5	21.1	21.0	20.7	21.5
Potatoes, all	122.3	127.0	123.9	134.1	129.9	136.7	136.7	136.9	145.0	137.8	137.7	136.2	137.9	138.8	132.1	138.2	134.7	129.0	125.8
Fresh	49.6	50.0	46.7	50.2	48.3	50.1	49.6	49.2	49.9	47.3	46.9	47.7	47.1	46.6	44.3	46.8	45.8	43.0	42.0
Processing	72.7	77.0	77.2	83.9	81.6	86.6	87.1	87.7	95.1	90.5	90.8	88.5	90.8	92.2	87.8	91.4	88.9	86.0	83.8
Sweet potatoes	3.9	3.9	4.4	3.9	4.1	3.7	4.5	4.2	4.3	4.3	3.8	3.7	4.2	4.4	3.8	4.7	4.7	4.5	4.4
Mushrooms	3.5	3.6	3.7	3.7	3.7	3.7	4.0	3.8	3.9	4.0	3.9	4.1	4.1	3.9	4.1	4.1	4.1	4.0	4.0
Dry peas & lentils 9/	0.7	0.4	0.4	0.5	0.4	0.2	0.6	0.7	0.5	0.9	0.8	0.6	0.8	0.8	0.6				

Percap table 2--Vegetables, fresh market: U.S. per capita utilization, 1979-2006 1/

Year	Asparagus	Broccoli	Carrots	Cauli-flower	Celery 2/	Sweet corn	Bell peppers 2/	Onions	Tomatoes	Cabbage	Spinach	Cucumbers
-- Pounds, farm weight --												
1979	0.3	1.2	5.9	1.1	7.1	6.5	2.9	11.6	12.4	8.1	0.4	3.8
1980	0.3	1.4	6.2	1.1	7.4	6.5	2.9	11.4	12.8	8.0	0.4	3.9
1981	0.3	1.7	6.1	1.4	7.3	6.2	2.8	10.7	12.3	8.2	0.5	4.0
1982	0.4	2.0	6.6	1.3	7.4	6.0	3.0	12.2	12.9	8.6	0.5	4.2
1983	0.4	2.0	6.5	1.4	7.0	6.1	3.3	12.2	13.5	8.2	0.5	4.5
1984	0.4	2.5	6.7	1.8	7.1	6.4	3.6	13.1	14.2	8.6	0.5	4.7
1985	0.5	2.6	6.5	1.8	6.9	6.4	3.8	13.6	14.9	8.7	0.7	4.4
1986	0.6	3.0	6.5	2.2	6.5	6.1	4.0	13.7	15.8	8.6	0.6	4.6
1987	0.6	3.1	8.3	2.1	6.6	6.3	4.2	13.4	15.8	9.1	0.6	5.1
1988	0.6	3.8	7.1	2.2	7.2	5.8	4.5	14.5	16.8	9.0	0.6	4.8
1989	0.6	3.8	8.1	2.3	7.5	6.5	4.7	14.8	16.8	8.6	0.6	4.8
1990	0.6	3.4	8.3	2.2	7.2	6.7	4.5	15.1	15.5	8.3	0.8	4.7
1991	0.6	3.0	7.7	2.0	6.7	5.9	5.1	15.7	15.4	8.2	0.8	4.6
1992	0.6	3.4	8.3	1.8	7.3	6.9	5.6	16.1	15.4	8.7	0.8	4.9
1993	0.6	3.3	10.8	2.1	7.3	7.0	6.1	17.2	16.3	9.3	0.7	5.2
1994	0.6	4.4	12.7	2.0	7.2	8.2	6.4	16.9	16.2	9.1	0.8	5.4
1995	0.6	4.3	11.2	1.6	6.9	7.8	6.2	17.8	16.8	8.1	0.7	5.6
1996	0.6	4.5	12.4	1.7	7.0	8.3	7.1	18.3	17.4	8.3	0.6	5.9
1997	0.7	5.0	14.1	1.8	6.5	8.3	6.4	18.8	17.3	9.0	1.1	6.4
1998	0.7	5.0	9.5	1.5	6.5	9.3	6.4	18.4	18.5	8.4	1.0	6.5
1999	0.9	6.2	9.3	1.8	6.5	9.1	6.7	18.5	19.1	7.6	1.0	6.7
2000	1.0	5.9	9.2	1.7	6.3	9.0	7.0	18.9	19.0	8.9	1.4	6.4
2001	0.9	5.4	9.4	1.5	6.4	9.2	6.9	18.5	19.2	8.8	1.1	6.3
2002	1.0	5.4	8.4	1.4	6.3	9.0	6.8	19.3	20.3	8.3	1.4	6.5
2003	1.0	5.5	8.8	1.6	6.3	9.5	6.9	19.5	19.5	7.6	1.8	6.1
2004 r	1.1	5.9	8.8	1.6	6.2	9.2	7.0	21.6	20.1	8.3	2.0	6.5
2005 p	1.2	5.6	8.7	1.5	6.1	8.9	6.6	21.2	20.6	8.1	2.3	6.5
2006 f	1.2	5.7	8.6	1.5	6.1	9.0	6.9	20.2	20.7	8.1	2.4	6.5

Arti-chokes 2/	Snap beans	Eggplant 2/	Escarole/endive	Garlic 2/	Lettuce		Water-melon	Canta-loupe	Honey-dews	All others 3/	Total	
					Head	Leaf/romaine						
-- Pounds, farm weight --												
1979	0.5	1.3	0.5	0.5	0.9	25.1	--	11.4	6.1	1.6	3.2	112.4
1980	0.4	1.3	0.5	0.5	0.9	25.6	--	10.7	5.8	1.4	3.2	112.6
1981	0.6	1.3	0.5	0.4	0.7	24.9	--	11.7	6.1	1.5	3.2	112.4
1982	0.6	1.3	0.5	0.4	0.8	24.9	--	12.5	7.7	1.8	3.3	118.9
1983	0.5	1.2	0.5	0.4	1.0	22.4	--	11.3	6.5	1.8	3.5	114.7
1984	0.6	1.3	0.5	0.4	0.8	24.9	--	14.4	7.7	1.8	3.4	125.4
1985	0.7	1.3	0.5	0.4	1.1	23.7	3.3	13.5	8.5	2.1	3.5	129.4
1986	0.6	1.3	0.5	0.4	0.8	21.9	2.4	12.8	9.4	2.4	3.5	128.2
1987	0.7	1.2	0.5	0.3	1.2	25.7	2.5	13.0	9.1	2.2	3.6	135.2
1988	0.6	1.2	0.4	0.4	1.1	27.0	3.2	13.5	7.9	2.4	3.9	138.5
1989	0.7	1.2	0.4	0.3	1.0	28.7	3.6	13.6	10.4	2.5	4.5	146.0
1990	0.6	1.1	0.4	0.2	1.3	27.7	3.8	13.3	9.2	2.1	4.5	141.5
1991	0.6	1.1	0.4	0.2	1.5	26.0	4.0	12.7	8.6	1.9	4.6	137.3
1992	0.6	1.4	0.5	0.3	1.5	25.8	4.7	14.7	8.5	2.1	4.6	144.5
1993	0.5	1.5	0.5	0.3	1.7	24.4	5.0	14.2	8.6	1.7	4.7	149.0
1994	0.7	1.5	0.5	0.3	1.8	25.0	5.7	15.0	8.4	2.0	4.8	155.6
1995	0.5	1.6	0.5	0.3	1.8	22.2	5.9	15.2	9.0	1.9	4.6	151.1
1996	0.5	1.5	0.6	0.3	2.3	21.6	5.8	16.6	10.3	2.0	4.5	158.1
1997	0.6	1.3	0.6	0.3	2.0	23.9	6.6	15.5	10.5	2.2	4.6	163.5
1998	0.6	1.6	0.6	0.3	2.6	22.3	6.6	14.3	10.6	2.3	4.9	158.6
1999	0.7	1.9	0.5	0.2	3.3	24.9	7.6	15.2	11.4	2.5	4.8	166.1
2000	0.7	2.0	0.8	0.4	2.2	23.5	8.4	13.8	11.1	2.3	12.3	172.0
2001	0.6	2.2	0.8	0.4	2.4	23.0	8.0	15.0	11.2	2.0	11.3	170.3
2002	0.7	2.1	0.8	0.3	2.5	22.5	9.6	14.0	11.1	2.2	11.5	171.4
2003 r	0.7	2.0	0.8	0.3	2.8	22.2	11.1	13.5	10.8	2.2	11.3	171.5
2004 r	0.6	1.9	0.8	0.3	2.6	21.3	11.4	13.0	10.0	2.2	12.4	174.7
2005 p	0.6	1.8	0.9	0.3	2.4	20.3	11.7	13.8	10.1	2.0	12.9	174.1
2006 f	0.7	1.9	0.9	0.3	2.5	21.3	12.0	13.7	10.3	2.1	12.8	175.5

-- = Not available. r = revised. p = preliminary. f = ERS forecast.

1/ Excludes potatoes, sweet potatoes, and mushrooms. 2/ Includes fresh and processing. 3/ Includes radishes, Brussels sprouts, squash, and green limas

Green lima beans included since 1992. Beginning with 2000, also includes collards, kale, mustard greens, turnip greens, okra, and pumpkins

Source: Economic Research Service, USDA.

Percap table 3—Vegetables, selected: Fresh and processing per capita utilization, 1979-2006

Year	Asparagus			Broccoli			Carrots			Cauliflower		Total		
	Fresh	Canning	Freezing	Fresh	Freezing	Fresh	Canning	Freezing	Fresh	Freezing	Fresh	Canning	Freezing	
-- Pounds, farm weight --														
1979	0.3	0.3	0.2	1.2	1.4	5.9	1.8	1.9	1.1	0.7	8.5	2.1	4.2	
1980	0.3	0.4	0.1	1.4	1.4	6.2	1.7	1.7	1.1	0.8	9.0	2.1	4.0	
1981	0.3	0.4	0.1	1.7	1.5	6.1	1.5	1.9	1.4	0.9	9.5	1.9	4.4	
1982	0.4	0.3	0.1	2.0	1.5	6.6	1.1	1.7	1.3	0.9	10.3	1.4	4.2	
1983	0.4	0.3	0.1	2.0	1.5	6.5	1.1	1.8	1.4	0.8	10.3	1.4	4.2	
1984	0.4	0.3	0.1	2.5	1.8	6.7	1.8	2.1	1.8	0.9	11.4	2.1	4.9	
1985	0.5	0.3	0.1	2.6	1.9	6.5	1.3	1.8	1.8	0.9	11.4	1.6	4.7	
1986	0.6	0.3	0.1	3.0	1.7	6.5	1.0	1.8	2.2	0.9	12.3	1.3	4.5	
1987	0.6	0.3	0.1	3.1	2.2	8.3	0.9	2.1	2.1	0.9	14.1	1.2	5.3	
1988	0.6	0.3	0.1	3.8	2.4	7.1	1.0	2.3	2.2	0.9	13.7	1.3	5.7	
1989	0.6	0.3	0.1	3.8	2.2	8.1	0.9	2.5	2.3	0.8	14.8	1.2	5.6	
1990	0.6	0.3	0.1	3.4	2.2	8.3	1.2	2.3	2.2	0.8	14.5	1.5	5.4	
1991	0.6	0.3	0.1	3.0	2.3	7.7	1.1	2.4	2.0	0.6	13.3	1.4	5.4	
1992	0.6	0.3	0.1	3.4	2.4	8.3	1.7	2.3	1.8	0.7	14.1	2.0	5.5	
1993	0.6	0.3	0.1	3.3	2.3	10.8	1.0	2.8	2.1	0.7	16.8	1.3	5.9	
1994	0.6	0.2	0.1	4.4	2.3	12.7	1.4	2.8	2.0	0.6	19.7	1.6	5.8	
1995	0.6	0.3	0.1	4.3	2.6	11.2	1.6	2.6	1.6	0.6	17.7	1.9	5.9	
1996	0.6	0.2	0.1	4.5	2.5	12.4	1.7	2.8	1.7	0.5	19.2	1.9	5.9	
1997	0.7	0.2	0.1	5.0	2.3	14.1	1.5	2.6	1.8	0.4	21.6	1.7	5.4	
1998	0.7	0.2	0.1	5.0	2.1	9.5	1.4	2.8	1.5	0.8	16.8	1.6	5.7	
1999	0.9	0.2	0.1	6.2	2.1	9.3	1.4	2.4	1.8	0.5	18.1	1.6	5.2	
2000	1.0	0.2	0.1	5.9	2.3	9.2	1.1	2.7	1.7	0.6	17.8	1.3	5.6	
2001	0.9	0.2	0.1	5.4	2.0	9.4	1.9	1.5	1.5	0.5	17.2	2.1	4.1	
2002	1.0	0.2	0.1	5.4	2.1	8.4	1.2	1.9	1.4	0.3	16.2	1.4	4.4	
2003	1.0	0.2	0.1	5.5	2.6	8.8	1.6	1.5	1.6	0.4	16.9	1.8	4.6	
2004	1.1	0.2	0.1	5.9	2.7	8.8	1.8	1.3	1.6	0.4	17.4	2.0	4.4	
2005 f	1.2	0.2	0.1	5.6	2.7	8.7	1.5	1.4	1.5	0.4	17.0	1.7	4.5	
2006 f	1.2	0.2	0.1	5.7	2.8	8.6	1.6	1.5	1.5	0.4	17.1	1.7	4.7	

f = ERS forecast. Totals may not sum due to rounding.

Source: Economic Research Service, USDA.

Percap table 4--Vegetables, processing: Selected U.S. per capita utilization, 1979-2006

Year	Snap beans			Sweet corn			Green peas			Cucumbers	Tomatoes
	Canning	Freezing	Total	Canning	Freezing	Total	Canning	Freezing	Total	Pickling	Processing
-- Pounds, farm weight --											
1979	4.7	1.4	6.1	12.7	6.8	19.5	2.6	1.9	4.5	5.8	64.3
1980	4.6	1.4	6.0	13.0	6.4	19.4	2.7	1.8	4.5	5.4	63.6
1981	4.6	1.7	6.3	12.1	6.3	18.4	2.7	1.7	4.4	5.3	59.3
1982	4.2	1.5	5.7	11.6	5.8	17.4	2.5	1.7	4.2	5.1	60.1
1983	4.1	1.5	5.6	11.6	6.6	18.2	2.4	1.8	4.2	5.2	60.9
1984	3.7	1.8	5.5	10.2	8.0	18.2	2.0	2.0	4.0	5.2	68.5
1985	3.8	1.9	5.7	11.9	7.9	19.8	2.1	2.1	4.2	5.8	63.2
1986	3.9	1.5	5.4	12.1	7.6	19.7	2.2	1.9	4.1	5.3	63.6
1987	3.8	1.7	5.5	10.6	7.8	18.4	2.0	1.7	3.7	5.5	65.2
1988	3.8	1.7	5.5	10.4	8.7	19.1	1.8	1.9	3.7	5.3	61.3
1989	3.9	2.0	5.9	9.5	8.4	17.9	1.7	2.0	3.7	5.2	69.4
1990	3.7	1.9	5.6	10.9	8.6	19.5	1.9	2.2	4.1	5.0	75.3
1991	4.0	1.8	5.8	11.1	9.4	20.5	1.9	2.3	4.2	5.1	77.1
1992	4.0	1.7	5.7	11.9	8.9	20.8	2.1	2.0	4.1	4.5	73.3
1993	4.0	1.7	5.7	11.1	9.7	20.8	1.6	1.9	3.5	4.3	75.8
1994	3.8	1.9	5.7	10.1	9.1	19.2	1.4	2.1	3.5	4.8	76.3
1995	3.5	1.7	5.2	10.4	10.3	20.7	1.6	2.1	3.7	5.0	74.6
1996	3.8	1.9	5.7	10.4	10.4	20.8	1.5	1.9	3.4	4.1	73.1
1997	3.6	1.8	5.4	9.1	10.1	19.2	1.5	2.0	3.5	5.2	72.6
1998	3.8	2.0	5.8	9.2	9.8	19.0	1.4	1.9	3.3	4.0	74.0
1999	3.7	2.0	5.7	9.1	10.1	19.2	1.4	2.0	3.4	4.2	71.2
2000	4.0	1.8	5.8	9.0	9.0	18.0	1.5	2.1	3.7	4.9	70.1
2001	3.8	1.9	5.7	8.7	9.3	18.0	1.4	2.0	3.3	3.7	65.5
2002	3.4	1.8	5.1	7.8	9.3	17.2	1.1	1.7	2.8	5.4	69.3
2003 r	3.7	1.9	5.5	8.3	9.0	17.3	1.3	1.9	3.2	4.4	69.8
2004 r	3.7	1.9	5.7	8.2	9.1	17.3	1.2	1.7	2.9	4.9	70.5
2005 p	4.0	1.8	5.8	9.0	8.7	17.8	1.0	1.7	2.7	3.8	73.6
2006 f	3.8	1.9	5.7	8.5	8.9	17.4	1.2	1.6	2.8	4.4	71.7
-- Pounds, farm weight --											
Spinach			Beets		Cabbage for kraut		Chile peppers 1/ Processing	Green lima beans 2/ Processing	Onions	Other 3/ Process	Dual use 4/ Processing
Canning	Freezing	Total	Canning	Canning	Processing	Processing	Dehydrating	Process	Dehydrating	Process	Total 5/ processing
1979	0.5	0.8	1.3	1.7	2.1	--	0.7	1.9	1.4	6.3	115.6
1980	0.6	0.8	1.4	1.8	2.0	3.0	0.7	0.8	1.3	6.1	116.0
1981	0.5	0.8	1.3	1.6	2.0	3.3	0.7	0.8	1.4	6.3	111.1
1982	0.4	0.7	1.1	1.4	1.7	3.1	0.3	2.0	1.5	5.6	109.2
1983	0.3	0.5	0.8	1.3	2.1	3.3	0.3	1.7	1.6	5.6	110.8
1984	0.3	0.5	0.8	1.3	1.7	3.6	0.5	1.5	1.4	7.0	119.2
1985	0.4	0.6	1.0	1.0	1.6	3.9	0.4	1.6	1.5	6.3	116.0
1986	0.3	0.5	0.8	1.2	1.6	4.2	0.5	1.9	1.7	5.8	115.8
1987	0.3	0.5	0.8	0.9	1.6	4.2	0.4	1.5	1.7	6.5	115.9
1988	0.3	0.6	0.9	1.0	1.4	4.3	0.3	1.7	2.0	7.0	113.5
1989	0.3	0.5	0.8	1.0	1.3	4.7	0.3	1.6	2.1	6.8	120.7
1990	0.4	0.3	0.7	1.0	1.2	5.1	0.2	2.0	2.6	6.9	129.2
1991	0.3	0.6	0.9	0.9	1.4	4.7	0.3	1.6	2.6	6.8	131.9
1992	0.3	0.5	0.8	0.9	1.1	6.1	0.5	1.4	2.3	7.5	128.9
1993	0.4	0.5	0.9	0.8	1.4	5.2	0.4	2.0	2.6	7.2	130.6
1994	0.5	0.5	1.0	1.1	1.2	4.3	0.5	0.9	2.9	7.4	128.7
1995	0.5	0.5	1.0	1.1	1.4	3.7	0.5	1.3	2.5	7.8	128.6
1996	0.4	0.7	1.1	0.9	1.0	4.6	0.6	0.8	2.7	7.8	126.6
1997	0.3	0.5	0.8	0.9	1.4	4.5	0.5	0.9	3.0	7.1	125.1
1998	0.3	0.5	0.8	0.7	1.4	4.7	0.5	1.1	3.1	7.3	125.7
1999	0.3	0.6	0.9	0.8	1.2	4.7	0.5	2.3	3.5	6.8	124.3
2000	0.2	0.9	1.1	0.8	1.4	5.2	0.5	1.6	3.4	6.9	123.3
2001	0.1	0.7	0.8	0.8	1.3	5.2	0.4	1.0	3.9	6.2	115.9
2002	0.1	0.7	0.8	0.6	1.2	5.8	0.5	1.1	4.8	5.8	120.3
2003 r	0.1	0.8	0.9	0.7	1.1	5.6	0.4	1.8	4.3	6.4	121.5
2004 r	0.1	0.9	1.0	0.8	1.1	6.1	0.4	1.5	4.6	6.4	123.1
2005 p	0.1	0.7	0.7	0.7	1.2	6.0	0.4	1.0	5.1	6.2	125.0
2006 f	0.1	0.8	0.9	0.8	1.1	6.2	0.4	1.3	5.5	6.5	124.5

-- = Not available. f = ERS forecast. Totals may not sum due to rounding.

1/ Includes fresh and processing uses. 2/ Mostly for freezing. 3/ Includes all other vegetables for freezing except potatoes. After 1989, includes misc canning vegetables. 4/ Total of canning and freezing from table 83 of the Vegetables & Melons Yearbook. 5/ Excludes potatoes, sweet potatoes, & pulses for processing.

Source: Economic Research Service, USDA.

Percap table 5--Potatoes: U.S. per capita utilization, by category, 1977-2006 1/

Year	Total	Fresh	Total	Freezing	Processing		
					Chips & shoe-strings	Dehydrating	Canning
-- Pounds, farm weight --							
1977	122.1	50.1	72.0	42.2	16.2	11.4	2.2
1978	119.5	46.0	73.5	42.6	16.5	12.1	2.3
1979	117.8	49.3	68.5	38.5	16.7	11.2	2.1
1980	114.7	51.1	63.6	35.4	16.5	9.8	1.9
1981	116.5	45.8	70.7	41.5	16.6	10.8	1.8
1982	115.0	47.1	67.9	38.6	17.0	10.4	1.9
1983	118.7	49.8	68.9	39.2	17.8	10.0	1.9
1984	122.1	48.3	73.8	43.7	18.0	10.3	1.8
1985	122.4	46.3	76.1	45.4	17.6	11.2	1.9
1986	125.9	48.8	77.1	46.3	18.1	10.9	1.8
1987	126.0	47.9	78.1	47.9	17.6	10.8	1.8
1988	122.3	49.6	72.7	43.3	17.1	10.4	1.9
1989	127.0	50.0	77.0	46.8	17.4	10.8	2.0
1990	123.9	46.7	77.2	46.4	16.4	12.6	1.8
1991	134.1	50.2	83.9	51.1	17.3	13.8	1.7
1992	129.9	48.3	81.6	49.9	17.1	12.8	1.8
1993	136.7	50.1	86.6	53.5	17.7	13.7	1.7
1994	136.7	49.6	87.1	55.7	16.5	13.2	1.7
1995	136.9	49.2	87.7	56.2	16.4	13.2	1.9
1996	145.0	49.9	95.1	60.2	16.4	16.7	1.8
1997	137.8	47.3	90.5	57.8	15.5	15.5	1.7
1998	137.7	46.9	90.8	58.1	14.7	16.5	1.5
1999	136.2	47.7	88.5	58.5	15.9	12.4	1.7
2000	137.9	47.1	90.8	57.5	15.9	15.7	1.7
2001	138.8	46.6	92.2	58.2	17.6	14.8	1.6
2002	132.1	44.3	87.8	55.2	16.5	14.7	1.4
2003	138.2	46.8	91.4	57.2	17.3	15.5	1.4
2004	134.7	45.8	88.9	57.3	16.6	13.8	1.2
2005 f	129.0	43.0	86.0	54.7	16.4	13.8	1.1
2006 f	125.8	42.0	83.8	53.0	16.2	13.5	1.1

f = ERS forecast.

1/ Calendar-year estimates on a fresh-equivalent basis.

Source: *Economic Research Service, USDA*.

Per cap table 6--Dry edible beans: U.S. per capita use for selected classes, calendar year 1977-2006 1/

Year	Pinto	Navy	Great Northern	Red kidney			Black	Lima beans			Small red	Garbanzo	Blackeye	Pink	Cranberry	Other 2/	Total
				All	Dark red	Light red		All	Baby	Large							
-- Pounds per person --																	
1977	2.03	2.12	0.37	0.53	--	--	0.01	0.26	0.09	0.17	--	--	--	--	--	1.36	6.68
1978	1.85	1.16	0.33	0.51	--	--	0.03	0.30	0.14	0.16	--	--	--	--	--	0.88	5.06
1979	1.90	1.98	0.40	0.48	--	--	0.02	0.32	0.17	0.15	--	--	--	--	--	1.14	6.24
1980	0.79	2.01	0.41	0.48	--	--	0.01	0.30	0.17	0.13	0.10	0.14	0.23	0.19	0.12	0.43	5.21
1981	1.98	1.15	0.29	0.31	--	--	0.07	0.28	0.10	0.18	0.16	0.15	0.19	0.39	0.11	0.79	5.87
1982	3.27	1.56	0.49	0.51	--	--	0.04	0.34	0.17	0.17	0.06	0.11	0.29	0.33	0.11	0.70	7.81
1983	2.35	1.60	0.45	0.52	--	--	0.03	0.28	0.11	0.17	0.10	0.14	0.26	0.14	0.14	0.56	6.57
1984	1.70	1.72	0.49	0.34	--	--	0.02	0.31	0.12	0.19	0.04	0.10	0.21	0.05	0.07	0.65	5.70
1985	2.77	1.85	0.47	0.45	--	--	0.01	0.36	0.11	0.25	0.05	0.07	0.23	0.10	0.07	0.91	7.34
1986	2.63	1.19	0.47	0.50	--	--	0.03	0.35	0.11	0.24	0.16	0.09	0.19	0.30	0.10	0.67	6.68
1987	2.25	1.44	0.20	0.36	--	--	0.05	0.18	0.08	0.10	0.08	0.10	0.23	0.18	0.06	0.51	5.64
1988	3.34	1.12	0.54	0.31	--	--	0.01	0.20	0.04	0.16	0.10	0.13	0.35	0.20	0.05	0.74	7.09
1989	2.13	1.06	0.44	0.40	--	--	0.06	0.29	0.10	0.19	0.17	0.13	0.30	0.07	0.05	0.70	5.80
1990	3.08	1.26	0.36	0.59	0.18	0.41	0.10	0.23	0.08	0.15	0.12	0.10	0.27	0.26	0.08	0.48	6.93
1991	3.28	1.47	0.50	0.52	0.13	0.39	0.15	0.24	0.10	0.14	0.17	0.11	0.28	0.22	0.12	0.44	7.50
1992	3.79	1.54	0.49	0.56	0.14	0.42	0.14	0.22	0.07	0.15	0.04	0.10	0.29	0.16	0.17	0.39	7.89
1993	3.55	1.20	0.42	0.59	0.13	0.46	0.21	0.22	0.05	0.17	0.19	0.18	0.24	0.18	0.14	0.31	7.43
1994	3.31	1.84	0.35	0.61	0.20	0.41	0.30	0.20	0.06	0.14	0.12	0.16	0.28	0.21	0.18	0.32	7.88
1995	3.22	1.65	0.36	0.54	0.14	0.40	0.43	0.24	0.10	0.14	0.14	0.13	0.26	0.18	0.13	0.28	7.56
1996	3.40	1.27	0.54	0.55	0.19	0.36	0.36	0.20	0.07	0.13	0.17	0.26	0.26	0.15	0.17	0.13	7.46
1997	3.47	1.37	0.40	0.55	0.13	0.42	0.34	0.21	0.08	0.13	0.14	0.24	0.24	0.20	0.17	0.02	7.35
1998	3.44	1.11	0.35	0.61	0.18	0.43	0.53	0.22	0.13	0.09	0.21	0.16	0.22	0.21	0.15	0.06	7.27
1999	3.46	1.22	0.53	0.59	0.17	0.42	0.62	0.21	0.08	0.13	0.22	0.16	0.25	0.28	0.17	0.07	7.78
2000	3.47	1.16	0.47	0.49	0.18	0.31	0.57	0.17	0.07	0.10	0.13	0.41	0.22	0.15	0.14	0.26	7.64
2001	3.23	1.00	0.45	0.53	0.22	0.31	0.49	0.21	0.10	0.11	0.12	0.36	0.22	0.09	0.04	0.20	6.94
2002	3.24	0.90	0.36	0.49	0.26	0.23	0.46	0.15	0.07	0.08	0.09	0.28	0.18	0.12	0.07	0.41	6.75
2003	3.05	0.85	0.42	0.59	0.25	0.34	0.46	0.15	0.06	0.09	0.17	0.17	0.23	0.22	0.05	0.28	6.64
2004	2.76	0.55	0.34	0.49	0.20	0.29	0.53	0.14	0.06	0.08	0.16	0.25	0.13	0.19	0.06	0.38	5.98
2005 p	2.79	0.68	0.31	0.58	0.25	0.33	0.50	0.13	0.05	0.08	0.20	0.30	0.16	0.17	0.06	0.38	6.26
2006 f	3.14	0.72	0.39	0.59	0.25	0.34	0.48	0.18	0.10	0.08	0.19	0.29	0.15	0.20	0.07	0.40	6.80

r = revised. p = preliminary. f = ERS forecast. 1/ Per capita reflects final production figures for 1998-2002 released in "Field Crops Final". Further revisions reflect the breakdown and redistribution of aggregate data into estimates for the smaller classes of beans such as small red, pink, garbanzo, and cranberry beans shown here. 2/ Includes small white and all other dry edible beans after 1979.

Source: Economic Research Service, USDA.

Percap table 7--Mushrooms, all: U.S. per capita utilization, 1977-2006

Crop year	Fresh	Processing	Total
-- Pounds, farm weight --			
1977	0.86	1.62	2.48
1978	1.02	1.66	2.68
1979	1.13	1.73	2.86
1980	1.20	1.53	2.73
1981	1.38	1.53	2.91
1982	1.44	1.51	2.95
1983	1.65	1.81	3.46
1984	1.77	1.76	3.53
1985	1.78	1.81	3.59
1986	1.87	1.88	3.75
1987	1.92	1.64	3.56
1988	1.98	1.54	3.52
1989	2.04	1.53	3.57
1990	1.99	1.70	3.69
1991	1.93	1.74	3.67
1992	1.98	1.68	3.66
1993	1.97	1.70	3.67
1994	2.02	1.93	3.95
1995	2.02	1.74	3.76
1996	2.08	1.82	3.90
1997	2.30	1.65	3.95
1998	2.45	1.41	3.86
1999	2.48	1.58	4.06
2000	2.58	1.48	4.06
2001	2.57	1.34	3.91
2002	2.61	1.48	4.09
2003	2.63	1.51	4.14
2004	2.59	1.55	4.14
2005 f	2.54	1.49	4.03
2006 f	2.55	1.51	4.06

f = forecast as of 04/20/06. f = ERS forecast. The crop year begins on July 1 of the year listed in the table and runs through June 30 of the following year.

Source: Economic Research Service, USDA.

Percap table 8—Canadian per capita use of selected fresh, and processing vegetables and melons, 1997-2003

Crop	1997	1998	1999	2000	2001	2002	2003
Kilograms, retail-weight equivalent/year							
Artichokes, fresh	0.06	0.07	0.09	0.09	0.08	0.07	0.06
Asparagus, all	0.44	0.45	0.50	0.53	0.53	0.57	0.62
Fresh	0.25	0.26	0.32	0.36	0.37	0.40	0.46
Canning	0.19	0.19	0.18	0.17	0.16	0.17	0.16
Beans, green and wax, all	2.08	2.27	2.28	2.28	2.29	2.39	2.41
Fresh	0.76	0.82	0.84	0.85	0.82	0.92	0.95
Canning	1.01	1.14	1.14	1.13	1.16	1.16	1.14
Freezing	0.31	0.31	0.30	0.30	0.31	0.31	0.32
Beets, all	0.48	0.47	0.45	0.51	0.54	0.50	0.48
Fresh	0.30	0.29	0.28	0.34	0.37	0.33	0.31
Canning	0.18	0.18	0.17	0.17	0.17	0.17	0.17
Broccoli, all	3.78	3.80	3.90	3.84	3.84	3.79	3.51
Fresh	3.23	3.21	3.27	3.17	3.15	3.13	2.84
Freezing	0.55	0.59	0.63	0.67	0.69	0.66	0.67
Brussels sprouts	0.22	0.22	0.20	0.23	0.24	0.23	0.19
Fresh	0.16	0.15	0.14	0.17	0.17	0.17	0.14
Freezing	0.06	0.07	0.06	0.06	0.07	0.06	0.05
Cabbage, fresh 1/	5.12	5.91	5.71	5.48	4.81	4.86	4.13
Cabbage, chinese	0.65	0.66	0.63	0.65	0.63	0.75	0.69
Carrots, all	8.73	10.53	9.35	9.72	9.94	8.92	9.43
Fresh	7.42	9.21	8.06	8.44	8.67	7.67	8.17
Canning	0.14	0.15	0.13	0.12	0.13	0.11	0.12
Freezing	1.17	1.17	1.16	1.16	1.14	1.14	1.14
Cauliflower, all	1.98	2.07	2.33	2.25	2.48	2.27	2.26
Fresh	1.82	1.90	2.15	2.09	2.31	2.13	2.13
Freezing	0.16	0.17	0.18	0.16	0.17	0.14	0.13
Celery, fresh	3.69	3.63	3.66	3.38	3.46	3.72	3.65
Sweet corn, all 3/	5.92	6.35	5.76	5.19	5.52	5.61	5.52
Fresh	3.28	3.89	3.36	2.76	3.05	3.20	3.15
Canning	1.60	1.58	1.56	1.54	1.48	1.47	1.43
Freezing	1.04	0.88	0.84	0.89	0.99	0.94	0.94
Cucumbers, fresh (incl greenhouse)	3.34	3.78	3.70	3.95	4.16	3.36	3.37
Eggplant	0.35	0.33	0.35	0.40	0.40	0.41	0.42
Garlic	0.27	0.32	0.35	0.36	0.36	0.36	0.36
Lettuce, all (incl greenhouse)	10.26	10.23	10.66	10.31	11.15	11.72	11.50
Melons, fresh	7.63	7.57	8.65	8.39	7.93	9.31	9.74
Watermelons	3.79	3.76	4.41	4.30	3.59	4.83	5.47
Muskmelon & cantaloupe	2.28	2.60	2.84	2.74	2.58	2.85	2.92
Others	1.56	1.21	1.40	1.35	1.76	1.63	1.35
Mushrooms	2.51	2.29	2.47	2.45	2.50	1.93	1.85
Fresh	1.74	1.53	1.76	1.73	1.78	1.20	1.12
Canned	0.77	0.76	0.71	0.72	0.72	0.73	0.73
Onions & shallots, fresh	7.78	8.50	7.96	8.27	8.50	7.96	7.55
Parsley	0.19	0.25	0.24	0.26	0.27	0.26	0.24
Parsnips, fresh	0.12	0.12	0.12	0.12	0.12	0.10	0.11
Green peas	2.20	2.24	2.13	2.12	2.15	2.12	2.10
Fresh	0.21	0.21	0.23	0.22	0.25	0.24	0.23
Canning	0.79	0.78	0.72	0.70	0.70	0.69	0.67
Freezing	1.20	1.25	1.18	1.20	1.20	1.19	1.20
Peppers, fresh	3.25	2.70	3.04	3.23	3.26	3.38	3.29
Pumpkins & squash	1.99	1.78	2.27	2.42	2.89	2.38	2.72
Radishes, fresh	0.53	0.47	0.52	0.50	0.50	0.53	0.63
Rutabagas & turnip, fresh	2.12	1.97	1.95	1.59	1.41	1.47	1.22
Spinach	0.64	0.68	0.73	0.81	0.96	1.04	1.01
Fresh	0.50	0.56	0.61	0.67	0.83	0.90	0.87
Freezing	0.14	0.12	0.12	0.14	0.13	0.14	0.14
Sweet potatoes	0.47	0.55	0.59	0.60	0.61	0.61	0.67
Tomatoes, all	15.33	14.72	15.46	15.70	16.43	16.29	15.65
Fresh	7.43	6.84	7.53	7.72	8.43	8.29	7.46
Canning	3.70	3.67	3.71	3.72	3.73	3.76	3.86
Juice (liters)	1.48	1.52	1.51	1.48	1.48	1.44	1.47
Pulp, paste, puree	2.72	2.69	2.71	2.78	2.79	2.80	2.86
Potatoes, white, all 2/	76.53	75.87	74.58	73.64	77.23	76.71	75.05
Other fresh	2.51	2.27	2.42	2.34	2.49	3.08	3.71
Other frozen	0.86	0.91	0.86	1.06	1.11	1.11	1.11
Other canned	2.00	2.25	2.05	1.98	2.46	2.38	1.69
All selected vegetables	172.16	174.00	173.75	172.28	178.83	177.54	174.33
Fresh, incl all potatoes & melons	152.09	153.62	153.83	152.13	158.04	156.97	154.33
Canned & juice	14.58	14.91	14.59	14.51	14.98	14.88	14.30
Frozen	5.49	5.47	5.33	5.64	5.81	5.69	5.70

1/ Excludes Chinese cabbage. 2/ Includes processed potato import and export data (converted to fresh-weight equivalent).

Source: *Food Statistics*, Statistics Canada.